

Author Index

- Aarhus, R., see Walseth, T.F. (1094) 113
- Adlercreutz, H., see Garreau, B. (1094) 339
- Alcántara-Hernández, R., see Robles-Flores, M. (1094) 77
- Alexandre, A., see Doni, M.G. (1094) 323
- Alexandre, A., see Ruzzene, M. (1094) 121
- Annaert, G., see De Bisschop, E. (1094) 147
- Apitz-Castro, R., Jain, M.K., Bartoli, F., Ledezma, E., Ruiz, M.-C. and Salas, R.
Evidence for direct coupling of primary agonist-receptor interaction to the exposure of functional IIb-IIIa complexes in human blood platelets. Results from studies with the antiplatelet compound ajoene (1094) 269
- Appleby, G.J., see Rattigan, S. (1094) 217
- Barisas, B.G., see Bulva, C.J. (1094) 134
- Bartoli, F., see Apitz-Castro, R. (1094) 269
- Benassayag, C., see Garreau, B. (1094) 339
- Bertlik, M., see Orser, B.A. (1094) 19
- Bhakta, A., see Moudgil, V.K. (1094) 185
- Boland, R., see De Boland, A.R. (1094) 238
- Bulva, C.J., Printen, J., Melnykovich, G., Cutts, L., Barisas, B.G. and Roess, D.A.
Corticosteroid effects on lipid lateral diffusion in CEM-C1 and CEM-C7 acute lymphoblastic leukemia cells (1094) 134
- Cai, Q., see Tolosa de Talamoni, N. (1094) 224
- Capeillere-Blandin, C., Masson, A. and Descamps-Latscha, B.
Molecular characteristics of cytochrome *b*₅₅₈ isolated from human granulocytes, monocytes and HL60 and U937 cells differentiated into monocyte/macrophages (1094) 55
- Castell, J.V., see López, M.P. (1094) 200
- Cawston, T.E., see Wright, J.K. (1094) 207
- Chaudhary, L.R. and Stocco, D.M.
Effect of different steroidogenic stimuli on protein phosphorylation and steroidogenesis in MA-10 mouse Leydig tumor cells (1094) 175
- Chiu, A.L.H., see Sharom, F.J. (1094) 35
- Chu, J.W.K., see Sharom, F.J. (1094) 35
- Clark, M.G., see Rattigan, S. (1094) 217
- Clay, K.L., Johnson, C. and Worthen, G.S.
Biosynthesis of platelet activating factor and 1-*O*-acyl analogues by endothelial cells (1094) 43
- Cohen, P. and Hardie, D.G.
The actions of cyclic AMP on biosynthetic processes are mediated indirectly by cyclic AMP-dependent protein kinase (1094) 292
- Cohen, P., see Sola, M.M. (1094) 211
- Coremans, J., see De Bisschop, E. (1094) 147
- Coso, O., see De Boland, A.R. (1094) 238
- Crawford, N., see Eggleton, P. (1094) 309
- Cruz, P., see Fujise, H. (1094) 51
- Cutts, L., see Bulva, C.J. (1094) 134
- Deana, R., see Doni, M.G. (1094) 323
- Deana, R., see Ruzzene, M. (1094) 121
- De Bisschop, E., Annaert, G., Luypaert, R., Coremans, J. and Osteaux, M.
Absolute quantification of ³¹P muscle metabolites using NMRS with an internal standard and a high-Q, double-tuned coil (1094) 147
- De Boland, A.R., Flawia, M., Coso, O. and Boland, R.
A guanine nucleotide-binding protein mediates 1,25-dihydroxy-vitamin D-3-dependent rapid stimulation of Ca²⁺ uptake in skeletal muscle (1094) 238
- Descamps-Latscha, B., see Capeillere-Blandin, C. (1094) 55
- Donella-Deana, A., Meyer, H.E. and Pinna, L.A.
The use of phosphopeptides to distinguish between protein phosphatase and acid/alkaline phosphatase activities: opposite specificity toward phosphoseryl/phosphothreonyl substrates (1094) 130
- Donella-Deana, A., see Ruzzene, M. (1094) 121
- Doni, M.G., Deana, R., Padoin, E., Ruzzene, M. and Alexandre, A.
Platelet activation by diacylglycerol or ionomycin is inhibited by nitroprusside (1094) 323
- Eggleton, P., Penhallow, J. and Crawford, N.
Priming action of inositol hexakisphosphate (InsP₆) on the stimulated respiratory burst in human neutrophils (1094) 309
- Fedorko, L., see Orser, B.A. (1094) 19
- Flawia, M., see De Boland, A.R. (1094) 238
- Francesconi, M.A., see Ruzzene, M. (1094) 121
- Fujise, H., Cruz, P., Reo, N.V. and Lauf, P.K.
Relationship between total magnesium concentration and free intracellular magnesium in sheep red blood cells (1094) 51
- Gambert, P., see Hammami, M. (1094) 153
- García-Sáinz, J.A., see Robles-Flores, M. (1094) 77
- Garibay, J.L.R., Kozasa, T., Itoh, H., Tsukamoto, T., Matsuoka, M. and Kaziro, Y.
Analysis by mRNA levels of the expression of six G protein α -subunit genes in mammalian cells and tissues (1094) 193
- Garreau, B., Vallette, G., Adlercreutz, H., Wähälä, K., Mäkelä, T., Benassayag, C. and Nunez, E.A.
Phytoestrogens: new ligands for rat and human α -fetoprotein (1094) 339
- Gómez-Lechón, M.J., see López, M.P. (1094) 200
- Gomperts, B.D., see Lillie, T.H.W. (1094) 355
- Gruppen, C.G., see Oh, S.Y. (1094) 243
- Hammami, M., Meunier, S., Maume, G., Gambert, P. and Maume, B.F.
Effect of rat plasma high density lipoprotein with or without apolipoprotein E on the cholesterol uptake and on the induction of the corticosteroid biosynthetic pathway in newborn rat adrenocortical cell cultures (1094) 153
- Hardie, D.G., see Cohen, P. (1094) 292
- Hattori, M., see Makishima, M. (1094) 1
- Hayashi, M., Inomata, M., Saito, Y., Ito, H. and Kawashima, S.
Activation of intracellular calcium-activated neutral proteinase in erythrocytes and its inhibition by exogenously added inhibitors (1094) 249
- Hazleman, B.L., see Wright, J.K. (1094) 207
- Heilmeyer, Jr., L.M.G.
Molecular basis of signal integration in phosphorylase kinase (1094) 168

Author Index

- Aarhus, R., see Walseth, T.F. (1094) 113
- Adlercreutz, H., see Garreau, B. (1094) 339
- Alcántara-Hernández, R., see Robles-Flores, M. (1094) 77
- Alexandre, A., see Doni, M.G. (1094) 323
- Alexandre, A., see Ruzzene, M. (1094) 121
- Annaert, G., see De Bisschop, E. (1094) 147
- Apitz-Castro, R., Jain, M.K., Bartoli, F., Ledezma, E., Ruiz, M.-C. and Salas, R.
Evidence for direct coupling of primary agonist-receptor interaction to the exposure of functional IIb-IIIa complexes in human blood platelets. Results from studies with the antiplatelet compound ajoene (1094) 269
- Appleby, G.J., see Rattigan, S. (1094) 217
- Barisas, B.G., see Bulva, C.J. (1094) 134
- Bartoli, F., see Apitz-Castro, R. (1094) 269
- Benassayag, C., see Garreau, B. (1094) 339
- Bertlik, M., see Orser, B.A. (1094) 19
- Bhakta, A., see Moudgil, V.K. (1094) 185
- Boland, R., see De Boland, A.R. (1094) 238
- Bulva, C.J., Printen, J., Melnykovich, G., Cutts, L., Barisas, B.G. and Roess, D.A.
Corticosteroid effects on lipid lateral diffusion in CEM-C1 and CEM-C7 acute lymphoblastic leukemia cells (1094) 134
- Cai, Q., see Tolosa de Talamoni, N. (1094) 224
- Capeillere-Blandin, C., Masson, A. and Descamps-Latscha, B.
Molecular characteristics of cytochrome *b*₅₅₈ isolated from human granulocytes, monocytes and HL60 and U937 cells differentiated into monocyte/macrophages (1094) 55
- Castell, J.V., see López, M.P. (1094) 200
- Cawston, T.E., see Wright, J.K. (1094) 207
- Chaudhary, L.R. and Stocco, D.M.
Effect of different steroidogenic stimuli on protein phosphorylation and steroidogenesis in MA-10 mouse Leydig tumor cells (1094) 175
- Chiu, A.L.H., see Sharom, F.J. (1094) 35
- Chu, J.W.K., see Sharom, F.J. (1094) 35
- Clark, M.G., see Rattigan, S. (1094) 217
- Clay, K.L., Johnson, C. and Worthen, G.S.
Biosynthesis of platelet activating factor and 1-*O*-acyl analogues by endothelial cells (1094) 43
- Cohen, P. and Hardie, D.G.
The actions of cyclic AMP on biosynthetic processes are mediated indirectly by cyclic AMP-dependent protein kinase (1094) 292
- Cohen, P., see Sola, M.M. (1094) 211
- Coremans, J., see De Bisschop, E. (1094) 147
- Coso, O., see De Boland, A.R. (1094) 238
- Crawford, N., see Eggleton, P. (1094) 309
- Cruz, P., see Fujise, H. (1094) 51
- Cutts, L., see Bulva, C.J. (1094) 134
- Deana, R., see Doni, M.G. (1094) 323
- Deana, R., see Ruzzene, M. (1094) 121
- De Bisschop, E., Annaert, G., Luypaert, R., Coremans, J. and Osteaux, M.
Absolute quantification of ³¹P muscle metabolites using NMRS with an internal standard and a high-Q, double-tuned coil (1094) 147
- De Boland, A.R., Flawia, M., Coso, O. and Boland, R.
A guanine nucleotide-binding protein mediates 1,25-dihydroxy-vitamin D-3-dependent rapid stimulation of Ca²⁺ uptake in skeletal muscle (1094) 238
- Descamps-Latscha, B., see Capeillere-Blandin, C. (1094) 55
- Donella-Deana, A., Meyer, H.E. and Pinna, L.A.
The use of phosphopeptides to distinguish between protein phosphatase and acid/alkaline phosphatase activities: opposite specificity toward phosphoseryl/phosphothreonyl substrates (1094) 130
- Donella-Deana, A., see Ruzzene, M. (1094) 121
- Doni, M.G., Deana, R., Padoin, E., Ruzzene, M. and Alexandre, A.
Platelet activation by diacylglycerol or ionomycin is inhibited by nitroprusside (1094) 323
- Eggleton, P., Penhallow, J. and Crawford, N.
Priming action of inositol hexakisphosphate (InsP₆) on the stimulated respiratory burst in human neutrophils (1094) 309
- Fedorko, L., see Orser, B.A. (1094) 19
- Flawia, M., see De Boland, A.R. (1094) 238
- Francesconi, M.A., see Ruzzene, M. (1094) 121
- Fujise, H., Cruz, P., Reo, N.V. and Lauf, P.K.
Relationship between total magnesium concentration and free intracellular magnesium in sheep red blood cells (1094) 51
- Gambert, P., see Hammami, M. (1094) 153
- García-Sáinz, J.A., see Robles-Flores, M. (1094) 77
- Garibay, J.L.R., Kozasa, T., Itoh, H., Tsukamoto, T., Matsuoka, M. and Kaziro, Y.
Analysis by mRNA levels of the expression of six G protein α -subunit genes in mammalian cells and tissues (1094) 193
- Garreau, B., Vallette, G., Adlercreutz, H., Wähälä, K., Mäkelä, T., Benassayag, C. and Nunez, E.A.
Phytoestrogens: new ligands for rat and human α -fetoprotein (1094) 339
- Gómez-Lechón, M.J., see López, M.P. (1094) 200
- Gomperts, B.D., see Lillie, T.H.W. (1094) 355
- Gruppen, C.G., see Oh, S.Y. (1094) 243
- Hammami, M., Meunier, S., Maume, G., Gambert, P. and Maume, B.F.
Effect of rat plasma high density lipoprotein with or without apolipoprotein E on the cholesterol uptake and on the induction of the corticosteroid biosynthetic pathway in newborn rat adrenocortical cell cultures (1094) 153
- Hardie, D.G., see Cohen, P. (1094) 292
- Hattori, M., see Makishima, M. (1094) 1
- Hayashi, M., Inomata, M., Saito, Y., Ito, H. and Kawashima, S.
Activation of intracellular calcium-activated neutral proteinase in erythrocytes and its inhibition by exogenously added inhibitors (1094) 249
- Hazleman, B.L., see Wright, J.K. (1094) 207
- Heilmeyer, Jr., L.M.G.
Molecular basis of signal integration in phosphorylase kinase (1094) 168

- Hirata, M., see Yanaga, F. (1094) 139
 Honda, T., see Kusui, T. (1094) 231
 Honma, Y., see Makishima, M. (1094) 1
 Horn, R.S., see Walaas, O. (1094) 92
 Hozumi, M., see Makishima, M. (1094) 1
- Ichinose, I., see Nakano, S. (1094) 263
 Iizuka, K., see Kawaguchi, H. (1094) 161
 Inomata, M., see Hayashi, M. (1094) 249
 Ishikawa, I., see Makishima, M. (1094) 1
 Ishiura, S., see Tanabe, H. (1094) 281
 Ismail-Beigi, F., see Kuruvilla, A.K. (1094) 300
 Ito, H., see Hayashi, M. (1094) 249
 Itoh, H., see Garibay, J.L.R. (1094) 193
- Jain, M.K., see Apitz-Castro, R. (1094) 269
 Jelveh, Z., see Kalbag, S.S. (1094) 85
 Johnson, C., see Clay, K.L. (1094) 43
 Johnson, M.S., see MacEwan, D.J. (1094) 346
- Kalbag, S.S., Roginsky, M.S., Jelveh, Z. and Sulimovici, S.
 Phorbol ester, prolactin, and relaxin cause translocation of protein kinase C from cytosol to membranes in human endometrial cells (1094) 85
- Kanaiwa, T., see Makishima, M. (1094) 1
 Katsushima, S., see Kusui, T. (1094) 231
 Katz, A.M., see Tian, Q. (1094) 27
 Kawaguchi, H., Shoki, M., Iizuka, K., Sano, H., Sakata, Y. and Yasuda, H.
 Phospholipid metabolism and prostacyclin synthesis in hypoxic myocytes (1094) 161
- Kawahara, N., see Makishima, M. (1094) 1
 Kawashima, S., see Hayashi, M. (1094) 249
 Kaziro, Y., see Garibay, J.L.R. (1094) 193
 Kemp, B.E. and Pearson, R.B.
 Intracellular regulation of protein kinases and phosphatases (1094) 67
- Kim, D.H., see Tian, Q. (1094) 27
 Koga, T., see Nakano, S. (1094) 263
 Koga, T., see Yanaga, F. (1094) 139
 Kominami, E., see Tanabe, H. (1094) 281
 Konishi, J., see Kusui, T. (1094) 231
 Kozasa, T., see Garibay, J.L.R. (1094) 193
 Kruckeberg, W.C.
 Factors influencing variable oxidative hemolysis of inbred mouse erythrocytes (1094) 288
- Kumagai, N., see Tanabe, H. (1094) 281
 Kuruvilla, A.K., Perez, C., Ismail-Beigi, F. and Loeb, J.N.
 Regulation of glucose transport in Clone 9 cells by thyroid hormone (1094) 300
- Kusui, T., Sato, S., Katsushima, S., Honda, T., Shigeno, C. and Konishi, J.
 Cholecystokinin receptor occupation and cholecystokinin-induced calcium mobilization in the early phase in rat pancreatic acini (1094) 231
- Langan, T., see Sola, M.M. (1094) 211
 Lauf, P.K., see Fujise, H. (1094) 51
 Ledezma, E., see Apitz-Castro, R. (1094) 269
 Lee, H.C., see Walseth, T.F. (1094) 113
 Lefebvre, V., Peeters-Joris, C. and Vaes, G.
 Production of gelatin-degrading matrix metalloproteinases ('type IV collagenases') and inhibitors by articular chondrocytes during their dedifferentiation by serial subcultures and under stimulation by interleukin-1 and tumor necrosis factor α (1094) 8
- Lieberman, M.A., see Nagasaki, T. (1094) 330
- Lillie, T.H.W., Whalley, T.D. and Gomperts, B.D.
 Modulation of the exocytotic reaction of permeabilised rat mast cells by ATP, other nucleotides and Mg^{2+} (1094) 355
- Loeb, J.N., see Kuruvilla, A.K. (1094) 300
 López, M.P., Gómez-Lechón, M.J. and Castell, J.V.
 Glucose: a more powerful modulator of fructose 2,6-bisphosphate levels than insulin in human hepatocytes (1094) 200
- Loskutoff, D.J., see Slivka, S.R. (1094) 317
 Luybaert, R., see De Bisschop, E. (1094) 147
- MacEwan, D.J., Mitchell, R., Thomson, F.J. and Johnson, M.S.
 Inhibition of depolarisation-induced calcium influx into GH_3 cells by arachidonic acid: the involvement of protein kinase C (1094) 346
- Mäkelä, T., see Garreau, B. (1094) 339
 Makishima, M., Honma, Y., Hozumi, M., Sampi, K., Hattori, M., Ishikawa, I., Ogura, H., Kawahara, N., Kanaiwa, T. and Motoyoshi, K.
 Induction of differentiation of human myeloid leukemia HL-60 cells by novel pyrimidine nucleoside analogs (1094) 1
- Masson, A., see Capeillere-Blandin, C. (1094) 55
 Matsuoka, M., see Garibay, J.L.R. (1094) 193
 Maume, B.F., see Hammami, M. (1094) 153
 Maume, G., see Hammami, M. (1094) 153
 Melnykovich, G., see Bulva, C.J. (1094) 134
 Meunier, S., see Hammami, M. (1094) 153
 Meyer, H.E., see Donella-Deana, A. (1094) 130
 Mitchell, R., see MacEwan, D.J. (1094) 346
 Mora, G., see Steinsapir, J. (1094) 103
 Motoyoshi, K., see Makishima, M. (1094) 1
 Moudgil, V.K., Nath, R., Bhakta, A. and Nakao, M.
 ZK98299, a novel antiprogesterone that does not interact with chicken oviduct progesterone receptor (1094) 185
- Muldoon, T.G., see Steinsapir, J. (1094) 103
 Murray, A.W., see Oh, S.Y. (1094) 243
 Mykkanen, H., see Tolosa de Talamoni, N. (1094) 224
- Nagasaki, T. and Lieberman, M.A.
 Potentiation of the activity of mouse liver-derived HBGF-1-like growth factor by heparin and dithiothreitol: evidence for the involvement of a plasma factor (1094) 330
- Nakano, S., Koga, T., Ichinose, I., Yamada, H. and Niho, Y.
 Evidence for the involvement of endogenous thymidine in the density-inhibition of tumorigenic Chinese hamster V79 cells (1094) 263
- Nakao, M., see Moudgil, V.K. (1094) 185
 Nakashima, H., see Nakashima, K. (1094) 257
 Nakashima, K., Nakashima, H. and Shimoyama, M.
 Deoxyadenosine triphosphate acting as an energy-transferring molecule in adenosine deaminase inhibited human erythrocytes (1094) 257
- Nath, R., see Moudgil, V.K. (1094) 185
 Niho, Y., see Nakano, S. (1094) 263
 Nishina, H., see Tanabe, H. (1094) 281
 Nunez, E.A., see Garreau, B. (1094) 339
- O'Brodovich, H., see Orser, B.A. (1094) 19
 Ogura, H., see Makishima, M. (1094) 1
 Oh, S.Y., Grupen, C.G. and Murray, A.W.
 Phorbol ester induces phosphorylation and down-regulation of connexin 43 in WB cells (1094) 243
- Orser, B.A., Bertlik, M., Fedorko, L. and O'Brodovich, H.
 Cation selective channel in fetal alveolar type II epithelium (1094) 19
- Osteaux, M., see De Bisschop, E. (1094) 147

- Padoin, E., see Doni, M.G. (1094) 323
- Pearson, R.B., see Kemp, B.E. (1094) 67
- Peeters-Joris, C., see Lefebvre, V. (1094) 8
- Penhallow, J., see Eggleton, P. (1094) 309
- Perez, C., see Kuruville, A.K. (1094) 300
- Pinna, L.A., see Donella-Deana, A. (1094) 130
- Printen, J., see Bulva, C.J. (1094) 134
- Rattigan, S., Appleby, G.J. and Clark, M.G.
Insulin-like action of catecholamines and Ca^{2+} to stimulate glucose transport and GLUT4 translocation in perfused rat heart (1094) 217
- Reo, N.V., see Fujise, H. (1094) 51
- Robles-Flores, M., Alcántara-Hernández, R. and García-Sáinz, J.A.
Differences in phorbol ester-induced decrease of the activity of protein kinase C isozymes in rat hepatocytes (1094) 77
- Roess, D.A., see Bulva, C.J. (1094) 134
- Roginsky, M.S., see Kalbag, S.S. (1094) 85
- Ruiz, M.-C., see Apitz-Castro, R. (1094) 269
- Ruzzene, M., Donella-Deana, A., Alexandre, A., Francesconi, M.A. and Deana, R.
The antioxidant butylated hydroxytoluene stimulates platelet protein kinase C and inhibits subsequent protein phosphorylation induced by thrombin (1094) 121
- Ruzzene, M., see Doni, M.G. (1094) 323
- Saito, Y., see Hayashi, M. (1094) 249
- Sakata, Y., see Kawaguchi, H. (1094) 161
- Salas, R., see Apitz-Castro, R. (1094) 269
- Sampi, K., see Makishima, M. (1094) 1
- Sano, H., see Kawaguchi, H. (1094) 161
- Sato, S., see Kusui, T. (1094) 231
- Sharom, F.J., Chiu, A.L.H. and Chu, J.W.K.
Membrane gangliosides modulate interleukin-2-stimulated T-lymphocyte proliferation (1094) 35
- Shigeno, C., see Kusui, T. (1094) 231
- Shimoyama, M., see Nakashima, K. (1094) 257
- Shoki, M., see Kawaguchi, H. (1094) 161
- Slivka, S.R. and Loskutoff, D.J.
Regulation of type I plasminogen activator inhibitor synthesis by protein kinase C and cAMP in bovine aortic endothelial cells (1094) 317
- Sola, M.M., Langan, T. and Cohen, P.
p34cdc2 phosphorylation sites in histone H1 are dephosphorylated by protein phosphatase 2A₁ (1094) 211
- Steinsapir, J., Mora, G. and Muldoon, T.G.
Effects of steroidal and non-steroidal antiandrogens on the androgen binding properties of the rat ventral prostate androgen receptor (1094) 103
- Stocco, D.M., see Chaudhary, L.R. (1094) 175
- Sugita, H., see Tanabe, H. (1094) 281
- Sulimovici, S., see Kalbag, S.S. (1094) 85
- Tanabe, H., Kumagai, N., Tsukahara, T., Ishiura, S., Kominami, E., Nishina, H. and Sugita, H.
Changes of lysosomal proteinase activities and their expression in rat cultured keratinocytes during differentiation (1094) 281
- Thomson, F.J., see MacEwan, D.J. (1094) 346
- Tian, Q., Katz, A.M. and Kim, D.H.
Effects of azumolene on doxorubicin-induced Ca^{2+} release from skeletal and cardiac muscle sarcoplasmic reticulum (1094) 27
- Tolosa de Talamoni, N., Mykkanen, H., Cai, Q. and Wasserman, R.H.
Hormonal effects on the sulfhydryl groups associated with intestinal brush border membrane proteins (1094) 224
- Tsukahara, T., see Tanabe, H. (1094) 281
- Tsukamoto, T., see Garibay, J.L.R. (1094) 193
- Vaes, G., see Lefebvre, V. (1094) 8
- Vallette, G., see Garreau, B. (1094) 339
- Wähälä, K., see Garreau, B. (1094) 339
- Walaas, O., Horn, R.S. and Walaas, S.I.
Insulin and phorbol ester stimulate phosphorylation of a 15000 dalton membrane protein in rat diaphragm in a similar manner (1094) 92
- Walaas, S.I., see Walaas, O. (1094) 92
- Walseth, T.F., Aarhus, R., Zeleznikar, Jr., R.J. and Lee, H.C.
Determination of endogenous levels of cyclic ADP-ribose in rat tissues (1094) 113
- Wasserman, R.H., see Tolosa de Talamoni, N. (1094) 224
- Whalley, T.D., see Lillie, T.H.W. (1094) 355
- Worthen, G.S., see Clay, K.L. (1094) 43
- Wright, J.K., Cawston, T.E. and Hazleman, B.L.
Transforming growth factor beta stimulates the production of the tissue inhibitor of metalloproteinases (TIMP) by human synovial and skin fibroblasts (1094) 207
- Yamada, H., see Nakano, S. (1094) 263
- Yanaga, F., Hirata, M. and Koga, T.
Evidence for coupling of bradykinin receptors to a guanine-nucleotide binding protein to stimulate arachidonate liberation in the osteoblast-like cell line, MC3T3-E1 (1094) 139
- Yasuda, H., see Kawaguchi, H. (1094) 161
- Zeleznikar, Jr., R.J., see Walseth, T.F. (1094) 113

